${\bf Investment\ proposal\ application\ form\ of\ GREENFIELD}$

1. General information			
1.1		Land plot: Yosypivka village, Odesa district, Odesa region	
1.2	Geographical coordinates (latitude, longitude)	46°24'53.3"N 30°24'44.3"E	
1.3	Distance to the border of the residential zone of the nearest settlement (according to the general plan)	0,5 km	
1.4	Distance to the nearest district center and regional center (km)	Odesa – 32 km	
1.5	Total area of the site (ha)	33,0 ha	
1.5.1	Underground obstacles on the site	No	
1.5.2	Ground obstacles on the site	No	
1.6	Environmental requirements and restrictions	No	
1.6.1	Soil pollution, surface water and groundwater pollution (describe examples and risks of contamination)	No	
1.6.2	Flooding of the site (describe examples and risks of flooding)	No	
1.7	Proposal for possible use of the territory	Placement object of alternative energy	
	Additional information	-	
	2. Legal status		
2.1	Owner	Maiaky village council	
2.2	Form of ownership	Communal property	
2.3	Owner's title documents	The land plot is not formed (it is possible to form a landplot with the required designated purpose)	
2.4	Cadastral number	No	
2.5	User	No	
2.5.1	For what purposes the site is used	Not used	
2.6	The plot is located within or outside the settlement	Within	
2.7	Availability of urban planning documentation (planning scheme for the territory of the district, region or their parts, plan of the settlement, detailed plan of the territory)		
2.8	Classification of the type of intended use land plot (name, code)	Classification based on needs	

2.9	Form of the transfer of the land to the investor (indicate possible options: rent, PPP agreement, sale, etc.)	Rent/sale		
2.10	Estimated sale/rent price	According to the results of the auction		
	Additional information	_		
3. Transportation network and engineering infrastructure				
3.1	Availability of an access road (coverage of the road, road width)	Yes		
3.2	Distance to the national highway (km)	International highway M-15 – 5 km		
3.3	Name of the freight railway station and distance by road			
	from it to the site (km)	•		
3.4	Information on the gas transmission network connection to the site	1 km		
3.4.1	Distance to the existing gas pipeline (km)	0,5 – 1 km		
3.4.5	Distance to the existing gas pipeline (km) Distance to the existing gas distribution	1 km		
3.4.3	station (km)	1 Kill		
3.5	Information about the power supply to the site	A high-voltage line passes through		
3.5.1	Distance to the existing power line	Near the site		
3.5.2	Power line voltage	35 kW and 110 kW		
3.6	Water supply	Centralized		
3.6.1	How to provide water supply on the site	Connecting to an existing network		
3.6.2	Distance to a possible connection point to the existing	0,5 – 1 km		
	water supply system (km)			
3.7	Water disposal (sewerage)	No		
3.7.1	How to provide drainage (sewage) on the site	Local system		
3.7.2	Distance to a possible connection point to the existing sewage system (km)			
3.7.3	Whether sewage is supplied from the sewer system to	-		
	the existing wastewater treatment plant			
	Additional information	_		
	4. Communication networks			
4.1	Is it possible to provide a landline telephone connection			
4.2	Whether the site has stable mobile phone coverage and	Yes. Mobile operators: Kyivstar,		
	which operators	Vodafone, lifecell		
	Additional information			
	5. Contact information	n Maiaky village council		
	Institution/organization, address, phone number, e-mail	99, Bogachova str.		
		Maiaky		
5.1		Odesa district		
		Odesa region, 67654		
		Tel.: +38 (04852) 3-30-73		
		E-mail: silrada777@i.ua		
	Name of the contact person, mobile telephone, e-mail	Hoi Svitlana Leonidivna		
5.2		Tel.: +38 (067) 518-73-86		
		E-mail: svetgoy@meta.ua		