Investment proposal application form of GREENFIELD

1. General information		
1.1	Name, location, photo of the site	Land lot of the former "Oblpalyvo" st. Michurina, village Petrivka, Berezivsky district, Odesa region, 67240
1.2	Geographic coordinates (latitude, longitude)	46°55'13.9"N 30°43'01.4"E
1.3	Distance from the plot to the border of the residential zone of the nearest settlement (according to the general plan for the development of the settlement) (km)	0,3 km
1.4	Name and distance to the nearest district center and	Berezivka – 58.5 km
	regional center (km)	Odesa – 76.7 km
1.5	Total area of the plot, ha	7,0 ha
1.5.1	Are there any underground obstacles on the site	No
1.5.2	Are there any aboveground obstacles on the site	No
1.6	Environmental requirements and restrictions (describe if any)	No
1.6.1	Contamination of soil, surface and groundwater (describe examples and risks of pollution)	No
1.6.2	Flooding of the site during floods (describe examples and risks of flooding)	No
1.7	Proposals for the possible use of the land plot	Container handling placement
	Additional Information	
	2. Legal status	
2.1	Owner	Velykobuyalytska village council
2.2	Form of ownership	Communal property
2.3	Available title documents of the owner (specify	Land fund of Velykobuyalitska village,
	which)	outside the settlement
2.4	Cadastral number (specify if available)	Not formed
2.5	User	No
2.5.1	For what purposes is the site used?	Not used
2.6	The plot is located within or outside the settlement	Outside the settlement
2.7	Availability of urban planning documentation (planning scheme of the territory of the district, region or their parts, master plan of the settlement, detailed plan of the territory, etc.)	General plan of the settlement
2.8	Classification of the type of purpose of the land plot	No
2.9	(name, code) Form of transfer of land to investor (specify possible	Rent, sale
2.10	options: lease, sale, etc.)	A conding to 41-114 C (1
2.10	Estimated cost of sale/lease (UAH/m²)	According to the results of the auction

	Additional Information	-
	3. Transport and engineering	infrastructure
3.1	Availability of access road (describe what road coverage, width)	Asphalted, partially unpaved
3.2	Distance to the highway of national and international importance (km)	The international highway M-05 is 44.5 km away The road of regional significance R-55 is 22.1 km away
3.3	The name of the freight railway station and the distance by road from it to the site (km)	Buyalyk station, where there is a partially destroyed railway siding
3.4	Information on the supply of gas transmission network to the site	No
3.4.1	Distance to operating gas pipeline (km)	0,5 km
3.4.5	 Distance to operating gas distribution station (km) 	-
3.5	Information on the supply of electrical network to the site	No
3.5.1	Distance to operating power line (km)	0,2 km
3.5.2	Power line voltage (kV)	10 kV
3.6	Water supply	No
3.6.1	How to ensure water supply on the site (specify possible options)	Connection to an artesian well
3.6.2	Distance to possible connection point to existing water supply system (km)	0,3 km
3.7	Drainage (sewerage)	No
3.7.1	How to ensure drainage (sewerage) on the site (describe options)	Local system
3.7.2	Distance to possible connection to the existing drainage system (km)	-
3.7.3	Is sewage from the sewage conduit (collector) fed to existing treatment plants?	-
	Additional Information	
	4. Communication ne	
4.1	Is it possible to provide landline telephone communication	Yes
4.2	Is there a stable mobile telephone coverage on the site and which operators	Yes. Operators: Kyivstar, Vodafone, lifecell
	Additional Information	
	5. Contacts	
5.1	Institution/organization, address, tel., e-mail	Velykobuyalytska village council, st. Preobrazhenska, 118, Velyky Buyalyk village, Berezivsky district, Odesa region, 67224 E-mail: blagoeve2016@gmail.com
5.2	Full name of contact person, mob. tel./ e-mail	E-mail: petrovka.fin.123@gmail.com